

# *Silvercote*

*A Distribution International Company*

---



---


## **Insulation Facing Product Selection Guide**

# SPECIALTY FACINGS



## GYM GUARD

Athletic facilities and high traffic areas  
Highly abuse resistant




**Standard widths**  
**54, 66, 78 inches**  
1.37, 1.68, 1.98 meters



## WMP-UV HD®

Intense lighting (natural/artificial):  
Auto shops, retail and loading docks  
Premium, heavy duty facing with added UV resistance




**Standard widths**  
**42, 54, 66, 78, 84 inches**  
1.07, 1.37, 1.68, 1.98, 2.13 meters



## BLACK (WMP-VR, WMP-VR-R PLUS, WMP-10 and WMP-50)

Casinos, churches, malls, multi-use facilities,  
restaurants, schools and theaters  
Unique appearance




**Standard widths**  
**42, 54, 66, 78, 84 inches**  
1.07, 1.37, 1.68, 1.98, 2.13 meters



## WMP-RETRO

Specifically designed for re-covering  
damaged faced insulation  
Easy to install/handle 500 SF rolls




**Standard width**  
**47 inches**  
1.19 meters

# MOST POPULAR FACINGS - GENERAL PURPOSE

## WMP®-VR

Low cost standard duty

Excellent for most chemical environments



### Standard widths


**42, 54, 66, 78, 84, 90 inches**

1.07, 1.37, 1.68, 1.98, 2.13, 2.29 meters

## WMP-10

Standard duty

Excellent general purpose



### Standard widths


**42, 54, 66, 78, 84, 90 inches**

1.07, 1.37, 1.68, 1.98, 2.13, 2.29 meters

## WMP-VR-R PLUS

Low cost standard duty

Excellent for high humidity environments




### Standard widths

**42, 54, 66, 78, 84 inches**

1.07, 1.37, 1.68, 1.98, 2.13 meters

## WMP-30

Heavy kraft for improved strength



### Standard widths

**42, 54, 66, 78, 84, 90, 101 inches**

1.07, 1.37, 1.68, 1.98, 2.13, 2.29, 2.57 meters

Visit [www.lamtec.com](http://www.lamtec.com).

"LAMTEC" and "WMP" are registered trademarks of LAMTEC Corporation.



**LAMTEC**<sup>®</sup>  
CORPORATION

LAMTEC<sup>®</sup> products are proudly  
manufactured in the USA. 

## WMP-50

Premium heavy duty with added abuse  
resistance



### Standard widths

**42, 54, 66, 78, 84, 90 inches**

1.07, 1.37, 1.68, 1.98, 2.13, 2.29 meters



# LOW (0.03) EMISSIVITY FACINGS



## ARENASHIELD

Ice arena roofs

Highly abuse resistant




**Standard widths**  
**54, 66, 78 inches**  
1.37, 1.68, 1.98 meters

## RADIANT ICE

Ice arena and general purpose

Double-sided foil with tear resistance and higher operating temperature



**Standard widths**  
**54, 66, 78 inches**  
1.37, 1.68, 1.98 meters

## R-3035 HD

Agriculture, warehouses and manufacturing facilities

Heavy duty foil/scrim/kraft



**Standard widths**  
**42, 54, 66, 78, 84, 90 inches**  
1.07, 1.37, 1.68, 1.98, 2.13, 2.29 meters

## APPLICATIONS

This document is intended as a general product guide only. You should consult with your building design professional before making your product selection.

WMP-VR	WMP-VR-R-PLUS	WMP-10	WMP-30	WMP-50	WMP-UV HD*	GYM GUARD	ARENASHIELD	RADIANT ICE	R-3035 HD	
●	●	●●	●●	●●●	●●●	○	○	●●	●	Agriculture
●	●	●●	●●	●●●	●●●	●●●	○	●●	○	Athletic facility
●	●	●●	●●	●●●	●●●	●●●	○	○○	○	Government/military
○	○	○	○	○	○	○	●●●	●●	●	Ice arena roofs
●	●	●●	●●	●●●	●●●	●●●	○	●●	●	Manufacturing/industrial
●	●	●●	●●	●●●	●●●	●●●	○	●●	●	Religious/community
●	●	●●	●●	●●●	●●●	●●●	○	●●	●	Service/retail
●	●	●●	●●	●●●	●●●	●●●	○	●●	●	Warehouse/distribution

- GOOD
- BETTER
- BEST
- NOT APPLICABLE

\*Best for applications with high UV exposure from intense lighting (natural/artificial). Application examples include: aircraft hangars, retail, loading docks, auto shops, etc.



## SIDE BY SIDE PRODUCT COMPARISONS

Name/Generic ID	Construction	C	D	E	F	Mullen Burst psi	Beach Puncture	NRC*	Fire Performance					
									UL-723	ASTM E84	CAN ULC-S102M	Factory Mutual	BS 476 Class 0	
A	B													
<b>WMP-VR</b> PSK-LD	White polypropylene film, fiberglass & polyester scrim, 11# natural kraft	0.09	40	30	60	125	.85		✓	✓	✓	✓	✓	
<b>WMP-VR-R PLUS</b> PSP	White polypropylene film, fiberglass scrim, metallized polyester film	0.02	35	35	100	-	.80		✓	✓		✓		
<b>WMP-10</b> PSK-STD	White polypropylene film, metallization, fiberglass & polyester scrim, 14# white kraft	0.02	40	35	65	125	.85		✓	✓	✓	✓	✓	
<b>WMP-50</b> PSKP	White polypropylene film, fiberglass & polyester scrim, 30# natural kraft, metallized polyester film	0.02	65	60	120	125	.65		✓	✓	✓	✓	✓	
<b>GYMGUARD</b> Film/Fabric	White polypropylene film, metallization, fiberglass & polyester fabric	0.02	195	150	250	650	.70		✓	✓	✓	✓		
<b>ARENASHIELD</b> Foil/Fabric	Aluminum foil, fiberglass & polyester fabric	0.02	195	150	250	550	.65		✓	✓	✓	✓		
<b>R-3035 HD</b> FSK-HD	Aluminum foil, fiberglass & polyester scrim, 30# natural kraft	0.02	55	35	60	85	.80		✓	✓	✓	✓		
<b>RADIANT ICE</b> FSPF	Aluminum foil, polyester film, fiberglass scrim, aluminum foil	0.02	55	55	85	-	-			✓				
<b>WMP-30</b> PSK-HD	White polypropylene film, metallization, fiberglass & polyester scrim, 30# natural kraft	0.02	55	40	70	105	.75		✓	✓	✓	✓		
<b>WMP-UV HD</b> PSKP-UV	White coating, white polypropylene film, fiberglass & polyester scrim, 30# natural kraft, metallized polyester film	0.02	65	60	120	125	-			✓				

\*As tested with 3" fiberglass blanket.

