


Standard Tab Options

- 1: 1-6 Inch Tab**
Right-handed standard
(Specify 'left-handed' if needed)



- 2: 2-3 Inch Tabs**



Common tab configurations, overlap tab and staple tab respectively.

Seal Tab Options

An all weather double stick tape can be applied to the tab(s) of the vapor retarder. The tape can also be applied to either the front side (i.e., the exposed side), or to the back side of the tab(s).

- 3: 1-6 Inch Seal Tab**
Common tape configuration for overlap tab to help comply with air barrier code requirements.



- 4: 1-6 Inch Special* Seal Tab**
Uncommon 1-6" tape tab.



- 5: 2-3 Inch Special* Seal Tabs**
Tape option for staple tab configuration.



- 6: 2-3 Inch Special* Double Seal Tab**
Common tape tab configuration used for long tab banded systems to secure insulation to purlin top flange or adjacent rolls.



- 7: 2-3 Inch Seal Tabs**
Uncommon tape configuration available if needed.



- 8: 2-3 Inch Double Seal Tab**
Common tape tab configuration used for retro applications to secure insulation to purlin bottom flange or adjacent rolls.



Above are examples of configurations. Other options are available for custom solutions if needed.

*Special refers to tape applied to the facing side of the vapor retarder.